

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	455/232,234.ccls.	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:02
L2	880	455/232\$1,234\$1.ccls.	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:02
L3	11	2 and ((gain near4 estimat\$5) with (frame or (time near slot) or interval or period))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:03
L4	770	((gain near4 estimat\$5) with (frame or (time near slot) or interval or period))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:10
L5	9000	((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near3 offset)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:11
L6	20301	(maximum near2 gain)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:12
L7	3	4 5 6	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/03 09:12

L8	1	((4 5 6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/03 09:13
L10	3	((gain near4 estimat\$5) with (frame or (time near slot) or interval or period)) same ((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near3 offset) same (maximum near2 gain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:14
L11	1	((((gain near4 estimat\$5) with (frame or (time near slot) or interval or period)) same ((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near3 offset) same (maximum near2 gain)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/03 09:15
S1	18	("20020016158" "20020160738" "20030031135" "20040053586" "20040100898" "20040121746" "20040137859" "6667965" "6826386").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 17:49
S2	395	(gain near4 estimat\$5) with (frame or (time near slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:05
S3	4	((gain near4 estimat\$5) with (frame or (time near slot))) same (calibrat\$5 near6 ("DC" or voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:06

S4	482	((gain near4 estimat\$5) with (frame or (time near slot))) ((calibrat\$5 near6 ("DC" or voltage)) with (frame or (time near slot)))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:08
S5	396	((gain near4 estimat\$5) with (frame or (time near slot))) ((calibrat\$5 near6 ("DC" or voltage)) with (frame or (time near slot))) and (gain near3 maximum)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:08
S6	3	((gain near4 estimat\$5) with (frame or (time near slot))) and ((calibrat\$5 near6 ("DC" or voltage)) with (frame or (time near slot))) and (gain near3 maximum)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:11
S7	59	((gain near4 estimat\$5) with (frame or (time near slot))) and (gain near3 maximum)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:11
S8	721	((gain near4 estimat\$5) with (frame or (time near slot) or interval or period))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:33
S9	7833	((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near offset)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:36
S10	235	((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near offset) with (frame or (time near slot) or interval or period)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:36

S11	4	S8 and S10	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 18:36
-----	---	------------	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	3485689	("4" "5" "6").clm.	USPAT; UPAD	AND	ON	2010/12/03 09:13
L12	0	(((gain near4 estimat\$5) with (frame or (time near slot) or interval or period)) same (((calibrat\$5 or tun\$4 or adjust\$4) near6 ("DC" or voltage) near3 offset) same (maximum near2 gain)).clm.	USPAT; UPAD	OR	ON	2010/12/03 09:15

12/3/2010 9:20:39 AM

C:\Documents and Settings\thpham6\My Documents\EAST\Workspaces\10581036-9.wsp